

Araldite®

professional adhesives



Araldite® Standard 24ml Syringe

A strong, solvent-free adhesive suitable for all materials, ideal for durable bonding and repairs. Perfect for complicated jobs which require adjustment thanks to a long working time.

Important

Bonds metal, wood, masonry, ceramics, glass, dry concrete, chipboard, leather, cardboard, fabric, rubber and most plastics (except polyethylene, polypropylene, Teflon®). Make sure surfaces are clean and free from dust, corrosion, dirt and grease. For optimum bonding, slightly roughen surfaces with sandpaper and degrease metals with a suitable solvent. During assembly apply light pressure to the joint until set (clamps, tape) around 8 hours. Allow 14 hours to attain full strength before rough handling or sanding.

The diagram consists of four numbered steps illustrating the application process:

- 1**: Shows the syringe being opened. The cap is snapped off, and the plunger is depressed to dispense the adhesive components onto a clean surface. The cap is then re-fitted to close the nozzle.
- 2**: Shows the two components being mixed thoroughly on a surface with a mixing tool. A circular arrow indicates the mixing motion.
- 3**: Shows the mixed adhesive being applied to two surfaces of a joint. A sharp blade is used to spread the adhesive evenly.
- 4**: Shows the two surfaces being assembled together. A sharp blade is used to remove any excess adhesive from the joint.

How to apply

Araldite® Standard is a strong 2-component epoxy with long working time. Parts repositionable for 80 minutes. Oil, chemical and impact resistant. High temperature resistance (-30°C to 65°C). Withstands rough handling. Do not use to repair or bond items that will contact food or drink. Not recommended for bonding rear-view mirrors to car windscreens.

Storage

Should be stored in a dry place at room temperature in the original syringe.

New

Environmentally friendly product formulation plus eco-friendly packaging for easy recycling.

Copyright® 2011. Huntsman Advanced Materials (Switzerland) GmbH. All Rights Reserved.

Araldite® is a registered trademark of Huntsman Corporation or an affiliate thereof in one or more, but not all countries.

www.go-araldite.com